Maryland Referral Form
Ambulatory Monoclonal Antibody Infusion Treatment for COVID-19

Please complete the information on this form if your patient could benefit from monoclonal antibody treatment. This form should be sent to the infusion site with closest proximity to the patient (pg. 3). The Infusion Site will review the referral and contact the patient to coordinate services as soon as possible.

Please note: CRISP is the preferred referral option. Use this form only when CRISP is not available.

**First Name: ** Last Name:

**DOB: Age:

**Sex: ☐ M ☐ F ☐ Other ___________ ☐ Unknown

**Patient's Preferred Language ☐ English ☐ Spanish ☐ Other _______________

**Address Line 1:

Address Line 2:

City: State: County: **Zip:

County:

**Phone: ☐ cell ☐ home Secondary Phone: ☐ cell ☐ home

Allergies (medication/food/other):

Please include any additional historical patient health information. You may free text, copy/paste, or you may attach a recent clinic note or other documentation, as necessary.

<u>Inclusion and Exclusion Criteria:</u>

**Weight (lbs): Kg: **Height (feet/inches): BMI:

**Patient has had a recent SARS-CoV2 PCR or Rapid Antigen Positive Test Result: ☐ Yes ☐ No
Note: Test must be first known positive test result.

** SARS-CoV2 PCR or Rapid Antigen test date (date specimen was obtained): ______

The (**) indicates a required field.

****SARS-CoV2 symptom onset date (best approximation**): __________

**Patient Symptoms (check all that apply):

☐ Fever ☐ Cough ☐ SOB ☐ Loss of taste/smell ☐ Malaise/Fatigue
☐ Nausea/Vomiting ☐ Diarrhea ☐ Throat pain ☐ Congestion ☐ Myalgia
☐ Headache ☐ Other ________________

SpO2: ____ (If < 94%, patient should be referred for hospitalization due to need for supplemental O2 and thus would not be appropriate for monoclonal antibody treatment.)

☐ On RA or ☐ On chronic O2 therapy – Baseline O2 Flow rate: _____

Has the patient required an increase in O2 flow rate since becoming symptomatic with COVID? ☐ Yes ☐ No

*****High Risk for Severe COVID Illness (check all that apply, continued on page three):***

☐ Age ≥ 65 y/o ☐ BMI ≥ 35 ☐ Diabetes Mellitus ☐ Type II ☐Type I
☐ CKD Disease Stage ____ Baseline [Cr]____
☐ Immunosuppressive Disease (e.g. leukemia, lymphoma, asplenia, neutropenia, AIDS if CD4 < 200, etc.) / Specify: ____________
☐ Immunosuppressive Treatment (e.g. chronic steroid, chemotherapeutic, biologic immunomodulator) / Specify: ___________

☐ Age ≥ 55 y/o *and:*
☐ Cardiovascular Disease / Specify (e.g. CAD, CVD, PVD, cardiomyopathy): ______
☐ HTN
☐ COPD
☐ Other Chronic Respiratory Disease (e.g. Pulmonary Sarcoid, Pulmonary Fibrosis) / Specify: ____________

☐ Age 12 – 17 y/o *and:*
☐ BMI ≥85th percentile for their age and gender based on CDC growth charts
☐ Sickle Cell Disease
☐ Congenital or acquired heart disease / Specify: ______
☐ Neurodevelopmental Disorder (e.g. cerebral palsy, muscular dystrophy) / Specify: ________
☐ Medical-related technological dependence (e.g. trach, g-tube dependence, shunt dependence, chronic infusion dependence) / Specify: _______
☐ Asthma/Reactive Airway Disease/Chronic Respiratory Disease Requiring daily medication for control / Specify: ________

I, the referring provider, am the patient's PCP or other continuity provider and have arranged for the patient to follow up with me/my designee following Antibody infusion. Or I am an ED or Urgent Care provider who will update the patient's PCP about his/her Antibody infusion in order to arrange follow up. If the patient does not have a PCP, I will refer him/her to an appropriate provider and ensure that follow up has been arranged. [Note: Ideal timing of follow up visit is approximately 7 days post-infusion.]

****☐ Indicates Provider Agreement**

The (**) indicates a required field.

Information about both monoclonal antibody treatment can be found at [FDA Emergency Use Authorization Drug and Biological Products, COVID19 Therapeutics](#) (scroll to section on Drugs and Biologic Products).

I, the referring provider, have advised or will advise the patient that if his/her clinical status declines by the time of the infusion appointment, the treatment may no longer be appropriate for him/her. The patient's clinical status will be re-evaluated at the infusion center at the appointment time. If the patient is deemed in need of hospital care, s/he will be referred immediately.
****☐ Indicates Provider Agreement**

**** Please provide the following information:**

- ☐ If patient meets the above criteria, give available EAU-approved monoclonal antibody treatment as appropriate according to the EUA dosage and administration instructions per protocol.

Provider Signature_________________________________ Date_______________________________

The Infusion Center staff will communicate with the referring provider regarding such matters as treatment inappropriateness for patient, ultimate completion of treatment for patient, adverse events, etc.

Name of Referring Site: Point of Contact:
Address:
Phone Number: Fax Number:
Email address: Preferred mode of contact: ☐ Phone ☐ Fax ☐ Email

Patient's Primary/Continuity Care Provider (if different from above)
Office Name:
Address: Phone Number:
Email address: Fax Number:

Region 1: UPMC Western Maryland	Email form to WMD-COVIDantibody@upmc.edu
Region 1: Garrett Medical Center	Fax form to 301-533-4198
Region 2: Meritus Medical Center	Fax form to 301-790-9229
Region 3: Baltimore Convention Center Field Hospital	Visit umms.org/ICReferral to submit form via secure, HIPAA-compliant upload.
Region 3: Hatzalah of Baltimore	Submit to Hatzalah Infusion Center Referral Form via secure link or email covidtherapy@hatzalahbaltimore.org
Region 3: MedStar Harbor	Fax form to 443-583-0651 or email claudia.s.barrett@medstar.net
Region 3: Upper Chesapeake	Fax form to 443-643-1545
Region 3: LBH Grace Medical Center and Sinai Hospital Center	Visit http://www.lifebridgehealth.org/antibody to submit form via secure link
Region 4: TidalHealth Peninsula Regional	Email form to COVIDTX@TidalHealth.org or fax 410-912-4959
Region 4: Atlantic General Hospital	Fax form to 410-641-9708
Region 4: Christiana Care	Fax form to 410-392-2637
Region 4: UMMS Shore Regional	Please fax to patient access at 410-820-8439

The (**) indicates a required field.
Information about both monoclonal antibody treatment can be found at FDA Emergency Use Authorization Drug and Biological Products, COVID19 Therapeutics (scroll to section on Drugs and Biologic Products).

Region 5: Adventist Takoma Park	Fax form to 301-891-6120
Region 5: Medstar Health Infusion Center	Fax form to 443-583-0651
Region 5: CalvertHealth	Email form to CovidTX@calverthealthmed.org
Region 5: Charles Regional	Fax form to 301-934-1798
Region 5: Medstar Southern Maryland	Fax form to 443-583-0651 or email claudia.s.barrett@medstar.net
Region 5: UM Capital Region Health-Laurel ACS Monoclonal Antibody Infusion Center	Fax form to 301-256-9224